



## Hose Clamp with Bolts

special clamp for fastening medium and heavy spiral hoses to connection pipes on mobile and stationary units

### Product Details

#### Construction / Material

- Clamp Design: clamp band designed with a band width of approx. 20 - 25 mm, clamp band designed with a band thickness of approx. 1.0 - 1.8 mm, clamp with screw lock, clamping screw in sizes M5-M10 designed as slotted hexagon screw
- Material of the clamp: galvanised steel

#### Properties

- Chemical Properties: rust-protected

#### Operating Temperature

#### Delivery Information

#### Application Areas

#### Customizing Options

### Article Variants

Article number	Clamping range mm	width x thickness
002112	32 - 35	20 x 1,0
002114	36 - 39	20 x 1,0
002115	40 - 43	20 x 1,0
002117	44 - 47	22 x 1,0

Article number	Clamping range mm	width x thickness
002118	48 - 51	22 x 1,0
002120	52 - 55	22 x 1,0
002122	56 - 59	22 x 1,0
002124	60 - 63	22 x 1,0
002127	64 - 67	25 x 1,5
002128	68 - 73	25 x 1,5
002130	74 - 79	25 x 1,5
002133	80 - 85	25 x 1,5
002135	86 - 91	25 x 1,5
002137	92 - 97	25 x 1,5
002138	98 - 103	25 x 1,5
002140	104 - 112	25 x 1,5
002144	113 - 121	25 x 1,5
002146	122 - 130	25 x 1,5
002148	131 - 139	25 x 1,5
002149	140 - 148	25 x 1,5
002151	149 - 161	25 x 1,8
002152	162 - 174	25 x 1,8
002155	175 - 187	25 x 1,8
002157	188 - 200	25 x 1,8
002159	201 - 213	25 x 1,8
002162	214 - 226	25 x 1,8
002166	250 - 268	25 x 1,0
002173	305 - 323	25 x 1,0
002174	320 - 335	25 x 1,0
002178	350 - 365	25 x 1,0
002179	398 - 422	25 x 1,0
002181	455 - 473	25 x 1,0
002182	500 - 518	25 x 1,0

Subject to technical changes and colour deviations

## Delivery Variants

Available in other lengths, other nominal diameters, with customer-specific customer-specific imprint.

## Disposal instructions

After use, the product must be disposed of in accordance with the legal regulations applicable in the user's region (in Germany in accordance with the applicable Waste Catalogue Ordinance (AVV)).

### Individual consultation

We offer consultation by  
phone:  
+49 209 97077-112

Product requests via  
[masterflex.de/en](https://www.masterflex.de/en)

### Address Headquarters

Masterflex SE  
Willy-Brandt-Allee 300  
45981 Gelsenkirchen

